EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	matthew near englehart.in.	US-PGPUB; USPAT	OR	ON	2009/01/09 14:55
L2	13	peter near szpak.in.	US-PGPUB; USPAT	OR	ON	2009/01/09 14:55
L3	204	mathworks.as.	US-PGPUB; USPAT	OR	ON	2009/01/09 14:55
L4	20	L3 and (graphic$4 and interface and parameter). clm.	US-PGPUB; USPAT	OR	ON	2009/01/09 14:55
L5	100	("5708828" "4924378" "5748877" "5892510" "5946278" "4477874" "4506330" "5295059" "5297247" "5499318" "5576981" "5577239" "5680537" "5740427" "5938766" "5950192" "5969283" "6016400" "6023565" "6065021" "6069563" "6118938" "6121964" "6192368" "6211909" "6211909" "6232539" "6292830" "6453329" "6466973" "20020188928" "20030074235" "20040078236" "20050091255" "20050195678" "20050203950" "20050262271" "5590331" "6038565" "6067524" "6199070" "6246994" "4268950" "4272303" "4277827" "4290184" "4294001" "4315451" "4336647" "4342099").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L6	530	717/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L7	835	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55

L8	793	L6 or L7 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L9	494	L8 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L10	270	L9 and (source adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L11	305	L9 and (code near (generat $4 or develop$4 or creat$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L12	239	L11 and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L13	2	L10 and (storage adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L14	237	L12 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L15	180	L14 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L16	143492	"graphical user interface" or gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55

L17	161	L16 and parameter and "storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L18	161	L17 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L19	13	("4695833" | "5432903" | "5485601" | "5495567" | "5603034" | "5664180" | "5668966" | "5696975" | "5760788" | "5923885" | "5946693" | "5966532" | "5974256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/09 14:55
L20	126	L18 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L21	2	"5732277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L22	2	"6366300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L23	48	parameter with (pragma or "non-portable directive")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L24	28	L23 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L25	171	(pragma or directive) with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55

L26	71	L25 and compil$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L27	10	(US-20030074235-$ or US-20040255269-$ or US-20040230945-$ or US-20040111696-$ or US-20020010908-$).did. or (US-5892510-$ or US-6701513-$ or US-6684385-$ or US-6421822-$ or US-6053951-$ or US-5481712-$ or US-5187788-$ or US-5966532-$ or US-5933642-$).did.	US-PGPUB; USPAT	OR	ON	2009/01/09 14:55
L28	1	L27 and (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L29	117	(header adj file) with (code near (generat$4 or creat$4 or develop$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L30	73	L29 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L31	63	L30 and (@pd< "20031031" or @ad< "20031031" or @prad< "20031031" or @rlad< "20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L32	1151	(pragma or directive) with compil$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L33	252	L32 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55

L34	2	L27 and (header adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L35	27	"non-displayed" with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L36	236	(header adj file) same (code near (generat$4 or creat$4 or develop$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L37	2	L33 and parmeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L38	285	pragma with compil$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L39	13	L38 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L40	966	parameter with (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L41	314	L40 and compil$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L42	138	L41 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55

L43	0	"non-portable directive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L44	89	L42 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L45	27	(non-displayed or "not display") with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L46	4103	(non-displayed or hidden or phantom) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L47	465	L46 and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L48	54	L47 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L49	113	pragma near directive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L50	108	L49 and compil$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L51	90	L50 and (data with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55

L52	59	L51 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L53	133	L47 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L54	105	L53 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L55	68	L50 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L56	71	L49 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L57	20	pragma with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L58	63	L26 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L59	392	(L6 or L7) and @pd>="20070305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L60	3	L3 and (storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55

L61	10	("20020174417" | "20030016206" | "20040031015" | "5978581" | "6023578" | "6199195" | "6212672" | "6321374" | "6609130" | "6651240").PN. OR ("7367012").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/09 14:55
L62	3	"custom storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L63	14	tlc near file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L64	27	(custom near instruction) near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L65	530	717/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L66	835	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L67	296	(L65 or L66) and @pd>="20070813"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L68	176	L67 and model$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:55
L69	144	(L65 or L66) and @pd>="20080529"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 14:59

| L70 | 77 | L69 and model$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/09 15:00 |

1/9/2009 3:05:16 PM
C:\ Documents and Settings\ qchen\ My Documents\ EAST\ Workspaces\ docket\ 10698820.wsp